

AT 34-610

BLACK SLIP ON SPORTS SHOE



STYLE SPECIFICATIONS

DESCRIPTION:

Slip on safety sports shoe with nubuck leather and steel toe cap.

Colour: Black

Sizes: 4 - 13, 6½ - 10½

Standards:

AS/NZS 2210.3:2019

EN ISO 20345:2011 ASTM F2413-18

Application: Building & Construction /
Manufacturing / Commercial Kitchens
/ Hospitality / Transport & Logistics /
Storage & Warehouse



FEATURES:

- Water resistant nubuck leather.
- EXPANDflex® elasticised material for easy donning & doffing
- Full lining and footbed treated with eco-friendly Odorban™ Control Technology to absorb odour for optimum freshness & hygiene. COMFORTcushion® Impact
- Absorption System with PORON1 protects the heel and ball of the foot.
- Comfort footbed with perforated air channels to enhance natural airflow.
- NATUREform® steel toe cap with a wide profile for greater comfort.
- GRIPthane® dual density polyurethane sole with lightweight shock absorbing PU midsole and hard wearing outsole for superior durability; resistant to 130 °C surface contact.
- Excellent slip resistant sole; SRC slip resistant classification.
- Electrical Hazard (EH) resistant sole.
- Sole resistant to mineral & organic oils & acids. Cut, split and crack resistant.

COMFORT TECHNOLOGY



COMFORTcushion
Impact
Absorption



NATUREform
wide profile Type
1 safety toe cap



Water Resistant
Leather



Steel Safety
Toe Cap



Antimicrobial
Technology

SOLING TECHNOLOGY



130°C
Heat Resistant
sole (266° F)



Abrasion
Resistant sole



Cut Resistant
sole



Slip Resistant
sole



Sole resistant to
mineral oils
and acids



Sole resistant to
organic oils
and fats



Electrical Hazard
Resistant



HYDROstop
3 year guarantee
against hydrolysis

OLIVER FOOTWEAR

Level 5, 163-175 O'riordan Street
Mascot, NSW, 2020

Tel: 1300 747 269
(1300 PIP ANZ)

Email: CS@PIPANZ.COM
www.oliver.com.au



[Facebook.com/oliversafetyfootwear](https://www.facebook.com/oliversafetyfootwear)



[@oliver.boots](https://www.instagram.com/oliver.boots)

PIP
GLOBAL SAFETY

WB 34-615

WHEAT SLIP ON SPORTS SHOE



STYLE SPECIFICATIONS

DESCRIPTION:

Slip on safety sports shoe with nubuck leather and steel toe cap

Colour: Wheat

Sizes: 4 - 13, 6½ - 10½

Standards:

AS/NZS 2210.3:2019

EN ISO 20345:2011 ASTM F2413-18

Application: Building & Construction /
Manufacturing / Transport & Logistics /
Storage & Warehouse



FEATURES:

- Water resistant nubuck leather.
- EXPANDflex® elasticised material for easy donning & doffing
- Full lining and footbed treated with eco-friendly Odorban™ Control Technology to absorb odour for optimum freshness & hygiene.
- COMFORTcushion® Impact
- Absorption System with PORON® protects the heel and ball of the foot.
- Comfort footbed with perforated air channels to enhance natural airflow.
- NATUREform® steel toe cap with a wide profile for greater comfort.
- GRIPthane® dual density polyurethane sole with lightweight shock absorbing PU midsole and hard wearing outsole for superior durability; resistant to 130 °C surface contact.
- Excellent slip resistant sole; SRC slip resistant classification.
- Electrical Hazard (EH) resistant sole.
- Sole resistant to mineral & organic oils & acids. Cut, split and crack resistant.

COMFORT TECHNOLOGY



COMFORTcushion
Impact
Absorption



NATUREform
wide profile Type
1 safety toe cap



Water Resistant
Leather



Steel Safety
Toe Cap



Antimicrobial
Technology

SOLING TECHNOLOGY



130°C
Heat Resistant
sole (266° F)



Abrasion
Resistant sole



Cut Resistant
sole



Slip Resistant
sole



Sole resistant to
mineral oils
and acids



Sole resistant to
organic oils
and fats



Electrical Hazard
Resistant



HYDROstop
3 year guarantee
against hydrolysis

OLIVER FOOTWEAR

Level 5, 163-175 O'riordan Street
Mascot, NSW, 2020

Tel: 1300 747 269
(1300 PIP ANZ)

Email: CS@PIPANZ.COM
www.oliver.com.au

 Facebook.com/oliversafetyfootwear

 @oliver.boots

PIP
GLOBAL SAFETY

WB 34-620

BLACK ELASTIC SIDED BOOT



STYLE SPECIFICATIONS



DESCRIPTION:

Premium full grain water resistant leather elastic sided boot.

Colour: Black

Sizes: 4 - 13, 6½ - 10½

Standards:

AS/NZS 2210.3:2019

EN ISO 20345:2011 ASTM F2413-18

REPLACEMENT LACE CODE: L-G0125

Application: Building & Construction
/ Manufacturing / Hospitality /
Commercial Kitchens / Food Processing
/ Essential Services / Security /
Transport & Logistics / Mining &
Quarrying / Storage & Warehouse

FEATURES:

- Water resistant full grain leather.
- Footbed treated with eco-friendly Odorban™ Control Technology to absorb odour for optimum freshness & hygiene.
- COMFORTcushion® Impact Absorption System with PORON® protects the heel and ball of the foot.
- Comfort footbed with perforated air channels to enhance natural airflow.
- NATUREform® steel toe cap with a wide profile for greater comfort.
- GRIPthane® dual density polyurethane sole with lightweight shock absorbing PU midsole and hard wearing outsole for superior durability; resistant to 130 °C surface contact.
- Excellent slip resistant sole; SRC slip resistant classification.
- Electrical Hazard (EH) resistant sole.
- Sole resistant to mineral & organic oils & acids. Cut, split and crack resistant.

COMFORT TECHNOLOGY



COMFORTcushion
Impact
Absorption



NATUREform
wide profile Type
1 safety toe cap



Water Resistant
Leather



Steel Safety
Toe Cap



Antimicrobial
Technology

SOLING TECHNOLOGY



130°C
Heat Resistant
sole (266° F)



Abrasion
Resistant sole



Cut Resistant
sole



Slip Resistant
sole



Sole resistant to
mineral oils
and acids



Sole resistant to
organic oils
and fats



Electrical Hazard
Resistant



HYDROstop
3 year guarantee
against hydrolysis

OLIVER FOOTWEAR

Level 5, 163-175 O'riordan Street
Mascot, NSW, 2020

Tel: 1300 747 269
(1300 PIP ANZ)

Email: CS@PIPANZ.COM
www.oliver.com.au



Facebook.com/oliversafetyfootwear



@oliver.boots

PIP
GLOBAL SAFETY

WB 34-623

BLACK LACE UP ANKLE JOGGER



STYLE SPECIFICATIONS



DESCRIPTION:

Lace up safety sports boot with nubuck leather and steel toe cap.

Colour: Black

Sizes: 4 - 13, 6½ - 10½

Standards:

AS/NZS 2210.3:2019 EN ISO

20345:2011 ASTM F2413-18

REPLACEMENT LACE CODE: L-GB175

Application: Building & Construction / Manufacturing / Hospitality / Food Processing / Transport & Logistics / Storage & Warehouse / Security

FEATURES:

- Water resistant nubuck leather.
- Padded collar and tongue.
- Scuff cap for toe and heel protection.
- Full lining and footbed treated with eco-friendly Odorban™ Control Technology to absorb odour for optimum freshness & hygiene. COMFORTcushion® Impact
- Absorption System with PORON® protects the heel and ball of the foot.
- Comfort footbed with perforated air channels to enhance natural airflow.
- NATUREform® steel toe cap with a wide profile for greater comfort.
- GRIPthane® dual density polyurethane sole with lightweight shock absorbing PU midsole and hard wearing outsole for superior durability; resistant to 130 °C surface contact.
- Excellent slip resistant sole; SRC slip resistant classification.
- Electrical Hazard (EH) resistant sole.
- Sole resistant to mineral & organic oils & acids. Cut, split and crack resistant.

COMFORT TECHNOLOGY



COMFORTcushion
Impact
Absorption



NATUREform
wide profile Type
1 safety toe cap



Water Resistant
Leather



Steel Safety
Toe Cap



Antimicrobial
Technology

SOLING TECHNOLOGY



130°C
Heat Resistant
sole (266° F)



Abrasion
Resistant sole



Cut Resistant
sole



Slip Resistant
sole



Sole resistant to
mineral oils
and acids



Sole resistant to
organic oils
and fats



Electrical Hazard
Resistant



HYDROstop
3 year guarantee
against hydrolysis

OLIVER FOOTWEAR

Level 5, 163-175 O'riordan Street
Mascot, NSW, 2020

Tel: 1300 747 269
(1300 PIP ANZ)

Email: CS@PIPANZ.COM
www.oliver.com.au



Facebook.com/oliversafetyfootwear



@oliver.boots

PIP
GLOBAL SAFETY

WB 34-624

BEIGE ELASTIC SIDED BOOT



STYLE SPECIFICATIONS



DESCRIPTION:

Water resistant suede leather elastic sided boot.

Colour: Beige

Sizes: 4 - 13, 6½ - 10½

Standards:

AS/NZS 2210.3:2019

EN ISO 20345:2011 ASTM F2413-18

Application: Agriculture / Building & Construction / Manufacturing / Hospitality / Mining & Quarrying / Transport & Logistics / Storage & Warehouse

FEATURES:

- Water resistant premium suede leather.
- Footbed treated with eco-friendly Odorban™ Control Technology to absorb odour for optimum freshness & hygiene.
- COMFORTcushion® Impact Absorption System with PORON® protects the heel and ball of the foot.
- Comfort footbed with perforated air channels to enhance natural airflow.
- NATUREform® steel toe cap with a wide profile for greater comfort.
- GRIPthane® dual density polyurethane sole with lightweight shock absorbing PU midsole and hard wearing outsole for superior durability; resistant to 130 °C surface contact.
- Excellent slip resistant sole; SRC slip resistant classification.
- Electrical Hazard (EH) resistant sole.
- Sole resistant to mineral & organic oils & acids. Cut, split and crack resistant.

COMFORT TECHNOLOGY



COMFORTcushion
Impact
Absorption



NATUREform
wide profile Type
1 safety toe cap



Water Resistant
Leather



Steel Safety
Toe Cap



Antimicrobial
Technology

SOLING TECHNOLOGY



130°C
Heat Resistant
sole (266° F)



Abrasion
Resistant sole



Cut Resistant
sole



Slip Resistant
sole



Sole resistant to
mineral oils
and acids



Sole resistant to
organic oils
and fats



Electrical Hazard
Resistant



HYDROstop
3 year guarantee
against hydrolysis

OLIVER FOOTWEAR

Level 5, 163-175 O'riordan Street
Mascot, NSW, 2020

Tel: 1300 747 269
(1300 PIP ANZ)

Email: CS@PIPANZ.COM
www.oliver.com.au

 Facebook.com/oliversafetyfootwear

 @oliver.boots

PIP
GLOBAL SAFETY

WB 34-626

CLARET ELASTIC SIDED BOOT



STYLE SPECIFICATIONS



DESCRIPTION:

Water resistant full grain leather elastic sided boot.

Colour: Claret

Sizes: 4 - 13, 6½ - 10½

Standards:

AS/NZS 2210.3:2019

EN ISO 20345:2011 ASTM F2413-18

Application: Agriculture / Building & Construction / Manufacturing / Food Processing / Hospitality / Commercial Kitchens / Mining & Quarrying / Transport & Logistics / Storage & Warehouse

FEATURES:

- Water resistant full grain leather.
- Footbed treated with eco-friendly Odorban™ Control Technology to absorb odour for optimum freshness & hygiene.
- COMFORTcushion® Impact Absorption System with PORON® protects the heel and ball of the foot.
- Comfort footbed with perforated air channels to enhance natural airflow.
- NATUREform® steel toe cap with a wide profile for greater comfort.
- GRIPthane® dual density polyurethane sole with lightweight shock absorbing PU midsole and hard wearing outsole for superior durability; resistant to 130 °C surface contact.
- Excellent slip resistant sole; SRC slip resistant classification.
- Electrical Hazard (EH) resistant sole.
- Sole resistant to mineral & organic oils & acids. Cut, split and crack resistant.

COMFORT TECHNOLOGY



COMFORTcushion
Impact
Absorption



NATUREform
wide profile Type
1 safety toe cap



Water Resistant
Leather



Steel Safety
Toe Cap



Antimicrobial
Technology

SOLING TECHNOLOGY



130°C
Heat Resistant
sole (266° F)



Abrasion
Resistant sole



Cut Resistant
sole



Slip Resistant
sole



Sole resistant to
mineral oils
and acids



Sole resistant to
organic oils
and fats



Electrical Hazard
Resistant



HYDROstop
3 year guarantee
against hydrolysis

OLIVER FOOTWEAR

Level 5, 163-175 O'riordan Street
Mascot, NSW, 2020

Tel: 1300 747 269
(1300 PIP ANZ)

Email: CS@PIPANZ.COM
www.oliver.com.au



Facebook.com/oliversafetyfootwear



@oliver.boots

PIP
GLOBAL SAFETY

WB 34-632

WHEAT LACE UP ANKLE BOOT



STYLE SPECIFICATIONS



DESCRIPTION:

Premium nubuck water resistant leather lace up ankle boot.

Colour: Wheat

Sizes: 4 - 13, 6½ - 10½

Standards:

AS/NZS 2210.3:2019

EN ISO 20345:2011 ASTM F2413-18

REPLACEMENT LACE CODE: L-G0125

Application: Agriculture / Building & Construction / Manufacturing / Commercial Kitchens / Hospitality / Security / Essential Services / Transport & Logistics / Storage & Warehouse

FEATURES:

- Water resistant nubuck leather.
- Padded collar and tongue.
- Full lining and footbed treated with eco-friendly Odorban™ Control Technology to absorb odour for optimum freshness & hygiene.
- COMFORTcushion® Impact Absorption System with PORON® protects the heel and ball of the foot.
- Comfort footbed with perforated air channels to enhance natural airflow.
- NATUREform® steel toe cap with a wide profile for greater comfort.
- GRIPthane® dual density polyurethane sole with lightweight shock absorbing PU midsole and hard wearing outsole for superior durability; resistant to 130°C surface contact.
- Excellent slip resistant sole; SRC slip resistant classification.
- Electrical Hazard (EH) resistant sole.
- Sole resistant to mineral & organic oils & acids. Cut, split and crack resistant.

COMFORT TECHNOLOGY



COMFORTcushion
Impact Absorption



NATUREform
wide profile Type 1 safety toe cap



Water Resistant
Leather



Steel Safety
Toe Cap



Antimicrobial
Technology

SOLING TECHNOLOGY



130°C
Heat Resistant sole (266° F)



Abrasion
Resistant sole



Cut Resistant
sole



Slip Resistant
sole



Sole resistant to
mineral oils
and acids



Sole resistant to
organic oils
and fats



Electrical Hazard
Resistant



HYDROstop
3 year guarantee
against hydrolysis

OLIVER FOOTWEAR

Level 5, 163-175 O'riordan Street
Mascot, NSW, 2020

Tel: 1300 747 269
(1300 PIP ANZ)

Email: CS@PIPANZ.COM
www.oliver.com.au



[Facebook.com/oliversafetyfootwear](https://www.facebook.com/oliversafetyfootwear)



[@oliver.boots](https://www.instagram.com/oliver.boots)

PIP
GLOBAL SAFETY

WB 34-652

BLACK LACE UP DERBY SHOE



STYLE SPECIFICATIONS

DESCRIPTION:

Premium full grain water resistant leather derby style shoe.

Colour: Black

Sizes: 4 - 13, 6½ - 10½

Standards:

AS/NZS 2210.3:2019

EN ISO 20345:2011 ASTM F2413-18

REPLACEMENT LACE CODE: L-BL105

Application: Manufacturing / Hospitality / Commercial Kitchens / Essential Services / Security / Transport & Logistics / Storage & Warehouse / Corporate & Executive



FEATURES:

- Water resistant full grain leather.
- Padded collar and tongue.
- Full lining and footbed treated with eco-friendly Odorban™ Control Technology to absorb odour for optimum freshness & hygiene.
- COMFORTcushion® Impact Absorption System with PORON® protects the heel and ball of the foot.
- Comfort footbed with perforated air channels to enhance natural airflow.
- NATUREform® steel toe cap with a wide profile for greater comfort.
- GRIPthane® dual density polyurethane sole with lightweight shock absorbing PU midsole and hard wearing outsole for superior durability; resistant to 130 °C surface contact.
- Excellent slip resistant sole; SRC slip resistant classification.
- Electrical Hazard (EH) resistant sole.
- Sole resistant to mineral & organic oils & acids. Cut, split and crack resistant.

COMFORT TECHNOLOGY



COMFORTcushion
Impact
Absorption



NATUREform
wide profile Type
1 safety toe cap



Water Resistant
Leather



Steel Safety
Toe Cap



Antimicrobial
Technology

SOLING TECHNOLOGY



130 °C
Heat Resistant
sole (266° F)



Abrasion
Resistant sole



Cut Resistant
sole



Slip Resistant
sole



Sole resistant to
mineral oils
and acids



Sole resistant to
organic oils
and fats



Electrical Hazard
Resistant



HYDROstop
3 year guarantee
against hydrolysis

OLIVER FOOTWEAR

Level 5, 163-175 O'riordan Street
Mascot, NSW, 2020

Tel: 1300 747 269
(1300 PIP ANZ)

Email: CS@PIPANZ.COM
www.oliver.com.au



Facebook.com/oliversafetyfootwear



@oliver.boots

PIP
GLOBAL SAFETY

AT 34-660

BLACK ZIP SIDED ANKLE BOOT



STYLE SPECIFICATIONS



SIDE ZIPPER

DESCRIPTION:

Premium full grain water resistant leather zip sided ankle boot.

Colour: Black

Sizes: 4 - 13, 6½ - 10½

Standards:

AS/NZS 2210.3:2019

EN ISO 20345:2011 ASTM F2413-18

REPLACEMENT LACE CODE: L-BL125

Application: Manufacturing /
Commercial Kitchens / Hospitality
Essential Services / Security / Transport
& Logistics / Storage & Warehouse /
Corporate & Executive

FEATURES:

- Water resistant full grain leather.
- Padded collar and tongue.
- TECTuff® toe bumper to protect against scuffing.
- Full lining and footbed treated with eco-friendly Odorban™ Control Technology to absorb odour for optimum freshness & hygiene.
- COMFORTcushion® Impact Absorption System with PORON® protects the heel and ball of the foot.
- Comfort footbed with perforated air channels to enhance natural airflow.
- Convenient quick release side zipper.
- NATUREform® steel toe cap with a wide profile for greater comfort.
- GRIPthane® dual density polyurethane sole with lightweight shock absorbing PU midsole and hard wearing outsole for superior durability; resistant to 130°C surface contact.
- Excellent slip resistant sole; SRC slip resistant classification.
- Electrical Hazard (EH) resistant sole.
- Sole resistant to mineral & organic oils & acids. Cut, split and crack resistant.

COMFORT TECHNOLOGY



COMFORTcushion
Impact
Absorption



NATUREform
wide profile Type
1 safety toe cap



Water Resistant
Leather



Steel Safety
Toe Cap



Antimicrobial
Technology



Convenient Quick
Release Zipper

SOLING TECHNOLOGY



130°C
Heat Resistant
sole (266° F)



Abrasion
Resistant sole



Cut Resistant
sole



Slip Resistant
sole



Sole resistant to
mineral oils
and acids



Sole resistant to
organic oils
and fats



Electrical Hazard
Resistant



HYDROstop
3 year guarantee
against hydrolysis

OLIVER FOOTWEAR

Level 5, 163-175 O'riordan Street
Mascot, NSW, 2020

Tel: 1300 747 269
(1300 PIP ANZ)

Email: CS@PIPANZ.COM
www.oliver.com.au



Facebook.com/oliversafetyfootwear



@oliver.boots

PIP
GLOBAL SAFETY

WB 34-662

WHEAT ZIP SIDED ANKLE BOOT



STYLE SPECIFICATIONS



SIDE ZIPPER

DESCRIPTION:

Premium nubuck water resistant leather zip sided ankle boot.

Colour: Wheat

Sizes: 4 - 13, 6½ - 10½

Standards:

AS/NZS 2210.3:2019

EN ISO 20345:2011 ASTM F2413-18

REPLACEMENT LACE CODE: L-G0125

Application: Agriculture / Building & Construction / Essential Services / Food Processing / Manufacturing / Transport & Logistics / Storage & Warehouse / Security

FEATURES:

- Water resistant nubuck leather.
- Padded collar and tongue.
- TECTuff® toe bumper to protect against scuffing.
- Full lining and footbed treated with eco-friendly Odorban™ Control Technology to absorb odour for optimum freshness & hygiene.
- COMFORTcushion® Impact Absorption System with PORON® protects the heel and ball of the foot.
- Comfort footbed with perforated air channels to enhance natural airflow.
- Convenient quick release side zipper.
- NATUREform® steel toe cap with a wide profile for greater comfort.
- GRIPthane® dual density polyurethane sole with lightweight shock absorbing PU midsole and hard wearing outsole for superior durability; resistant to 130 °C surface contact.
- Excellent slip resistant sole; SRC slip resistant classification.
- Electrical Hazard (EH) resistant sole.
- Sole resistant to mineral & organic oils & acids. Cut, split and crack resistant.

COMFORT TECHNOLOGY



COMFORTcushion
Impact
Absorption



NATUREform
wide profile Type
1 safety toe cap



Water Resistant
Leather



Steel Safety
Toe Cap



Antimicrobial
Technology



Convenient Quick
Release Zipper

SOLING TECHNOLOGY



130°C
Heat Resistant
sole (266° F)



Abrasion
Resistant sole



Cut Resistant
sole



Slip Resistant
sole



Sole resistant to
mineral oils
and acids



Sole resistant to
organic oils
and fats



Electrical Hazard
Resistant



HYDROstop
3 year guarantee
against hydrolysis

OLIVER FOOTWEAR

Level 5, 163-175 O'riordan Street
Mascot, NSW, 2020

Tel: 1300 747 269
(1300 PIP ANZ)

Email: CS@PIPANZ.COM
www.oliver.com.au



Facebook.com/oliversafetyfootwear



@oliver.boots

PIP
GLOBAL SAFETY

WB 34-692

250MM BROWN PULL ON RIGGERS BOOT



STYLE SPECIFICATIONS

DESCRIPTION:

Premium water resistant pull up leather pull on rigger boot.

Colour: Brown

Sizes: 4 - 13, 6½ - 10½

Standards:

AS/NZS 2210.3:2019

EN ISO 20345:2011 ASTM F2413-18

Application: Agriculture / Building & Construction / Mining & Quarrying / Oil & Gas

FEATURES:

- Water resistant pull up leather.
- TECTuff® toe bumper to protect against scuffing.
- Full lining & footbed treated with eco-friendly Odorban™ Control Technology to absorb odour for optimum freshness & hygiene.
- COMFORTcushion® Impact Absorption System with PORON® protects the heel and ball of the foot.
- Comfort footbed with perforated air channels to enhance natural airflow.
- NATUREform® steel toe cap with a wide profile for greater comfort.
- GRIPthane® dual density polyurethane sole with lightweight shock absorbing PU midsole and hard wearing outsole for superior durability; resistant to 130 °C surface contact.
- Excellent slip resistant sole; SRC slip resistant classification.
- Electrical Hazard (EH) resistant sole.
- Sole resistant to mineral & organic oils & acids. Cut, split and crack resistant.

COMFORT TECHNOLOGY



COMFORTcushion
Impact
Absorption



NATUREform
wide profile Type
1 safety toe cap



Water Resistant
Leather



Steel Safety
Toe Cap



Antimicrobial
Technology



Convenient Quick
Release Zipper

SOLING TECHNOLOGY



130°C
Heat Resistant
sole (266° F)



Abrasion
Resistant sole



Cut Resistant
sole



Slip Resistant
sole



Sole resistant to
mineral oils
and acids



Sole resistant to
organic oils
and fats



Electrical Hazard
Resistant



HYDROstop
3 year guarantee
against hydrolysis

OLIVER FOOTWEAR

Level 5, 163-175 O'riordan Street
Mascot, NSW, 2020

Tel: 1300 747 269
(1300 PIP ANZ)

Email: CS@PIPANZ.COM
www.oliver.com.au



Facebook.com/oliversafetyfootwear



@oliver.boots

PIP
GLOBAL SAFETY