

3M TAPED COOL LIGHT WEIGHT SHIRT 2 Tone Long Sleeve w/ Gusset Cuff

BS6896

Features

- 3M Reflective taped 'Hoop' pattern around body
- Vertical cotton mesh back ventilation
- Underarm cotton mesh ventilation
- 2 chest pockets with button down flaps
- Left pocket with pen division
- Contrast coloured collar and lower panel on body and sleeves
- 2 button adjustable full gusset sleeve cuff

Fabric

- 100% Cotton Preshrunk Drill 155gsm
- 100% Cotton Mesh Knit 125gsm

Size

- XS - 6XL




Yellow/Navy
(TT01)



Orange/Navy
(TT02)



Yellow/Bottle
(TT03)



BS6896
www.bisleyworkwear.com.au

TECHNICAL FAQ's

What is the neck circumference (button to button hole)?

XS: 36.5cm, **S:** 38.5cm, **M:** 40.5cm, **L:** 42.5cm,
XL: 44.5cm, **2XL:** 46.5cm, **3XL:** 48.5cm,
4XL: 50.5cm, **5XL:** 52.5cm, **6XL:** 54.5cm

What is the sleeve length (sleeve head to cuff)?

XS: 62.5cm, **S:** 63cm, **M:** 64cm, **L:** 65cm,
XL: 65.5cm, **2XL:** 66cm, **3XL:** 67cm,
4XL: 68cm, **5XL:** 68m, **6XL:** 68cm

What is UPF rating of the fabric on this shirt?

- **ALL COLOURS:** UPF 50+

SIMILAR PRODUCTS



BS6896 TT32

3M TAPED 2T HI VIS COOL L/W SHIRT
COMPLIES TO 4602.1:2011
CLASS N: NIGHT USE ONLY



BS6895

2 TONE HI VIS COOL
LW DRILL SHIRT LS



BT6456

3M TAPED 2 TONE HI VIS
DRILL SHIRT LS

AUSTRALIAN & INTERNATIONAL STANDARDS

Australian/ New Zealand Standards

- **AS/NZS 2621:1998:** Textiles - Guide to the Selection of Correct Care Labelling Instructions from AS/NZS 1957
BISLEY WORKWEAR GARMENTS USE THE CORRECT CARE LABELLING SUITED TO THEIR TYPE AND FABRICATION
- **AS/NZS 2392:1999:** Textiles - Labelling of Clothing, Household Textiles and Furnishings
BISLEY WORKWEAR GARMENTS HAVE THE CORRECT CARE LABELLING PLACEMENT AND DETAILS
- **AS/NZS 1957:1998:** Textiles - Care Labelling
BISLEY WORKWEAR GARMENTS ARE PROVIDED WITH CARE INSTRUCTIONS SUITED TO THEIR TYPE AND FABRICATION
- **AS/NZS 2622:1996:** Textile Products - Fibre Content Labelling
BISLEY WORKWEAR GARMENTS ACCURATELY LIST THE FABRIC FIBRE CONTENT
- **AS/NZS 4399:2017:** Sun Protective Clothing - Evaluation and Classification
THIS GARMENT HAS A SUN PROTECTION RATING OF UPF 50+ FOR ALL COLOURS

- **AS/NZS 1906.4:2010:** Hi Visibility Material For Safety Garments.
THIS GARMENT MEETS THE FLUORESCENT CAPABILITIES AND THE CHROMATICITY READING TO ENSURE THAT THE BRIGHT COLOURS ARE WITHIN THE REQUIRED COLOUR RANGE (EXCLUDES PINK COLOURWAY). RETROREFLECTIVE TAPE ON THIS GARMENT ALSO MEETS THE HIGHER RETROREFLECTIVE PERFORMANCE REQUIRED.
- **AS/NZS 4602.1:2011:** Hi Visibility Safety Garments. Garments For High Risk Application.
*THIS GARMENT HAS A MINIMUM OF 0.2sqm OF HI VISIBILITY FABRIC ON THE FRONT AND BACK AND RETRO-REFLECTIVE TAPING CONFIGURATION - HOOP PATTERN TO MEET DAY & NIGHT STANDARD
PINK COLOURWAY - RETRO-REFLECTIVE TAPE CONFIGURATION HOOP PATTERN MEETS CLASS N STANDARD.*
- **AS/NZS 1020:1995:** The Control of Undesirable Static Electricity
THIS GARMENT IS 100% COTTON WITH NO METAL ZIPS OR BUTTONS, THEREFORE IT MAY BE USED AS A STATIC CONTROL GARMENT

International Standards

- **ASTM D5489-07:** Standard Guide for Care Symbols for Care Instructions on Textile Products
BISLEY WORKWEAR GARMENTS COMPLY WITH USA STANDARDS FOR CARE LABEL SYMBOLS AND CONTENT DESCRIPTIONS
- **ISO 14184-1:** Textiles - Determination of Formaldehyde - Part 1: Free and Hydrolized Formaldehyde (Water Extraction Method)
BISLEY WORKWEAR GARMENTS ARE FREE FROM FORMALDEHYDE

SHIRTS										MENS
Size	XS	S	M	L	XL	2XL	3XL	4XL	5XL	6XL
To fit neck size (cm)	36	37/38	39/40	41/42	43/44	46	48	50	52	54
To fit chest size (cm)	87	92	97	102	107	112	117	122	127	132
To fit chest size (inches)	34	36	38	40	42	44	46	48	50	52

3M TAPED COOL LIGHT WEIGHT SHIRT 2 Tone Long Sleeve w/ Gusset Cuff

BS6896

Features

- 3M Reflective taped 'Hoop' pattern around body
- Vertical cotton mesh back ventilation
- Underarm cotton mesh ventilation
- 2 chest pockets with button down flaps
- Left pocket with pen division
- Contrast coloured collar and lower panel on body and sleeves
- 2 button adjustable full gusset sleeve cuff

Fabric

- 100% Cotton Preshrunk Drill 155gsm
- 100% Cotton Mesh Knit 125gsm

Size

- S - 6XL



Pink /Navy
(TT32)



BS6896
www.bisleyworkwear.com.au

TECHNICAL FAQ's

What is the neck circumference (button to button hole)?

XS: 36.5cm, **S:** 38.5cm, **M:** 40.5cm, **L:** 42.5cm,
XL: 44.5cm, **2XL:** 46.5cm, **3XL:** 48.5cm,
4XL: 50.5cm, **5XL:** 52.5cm, **6XL:** 54.5cm

What is the sleeve length (sleeve head to cuff)?

XS: 62.5cm, **S:** 63cm, **M:** 64cm, **L:** 65cm,
XL: 65.5cm, **2XL:** 66cm, **3XL:** 67cm,
4XL: 68cm, **5XL:** 68m, **6XL:** 68cm

What is UPF rating of the fabric on this shirt?

- ALL COLOURS: UPF 50+

SIMILAR PRODUCTS



BS6696T
3M TAPED 2 TONE COOL
HI VIS LW SHIRT LS



BS6895
2 TONE HI VIS COOL
LW DRILL SHIRT LS



BT6456
3M TAPED 2 TONE HI VIS
DRILL SHIRT LS

AUSTRALIAN & INTERNATIONAL STANDARDS

Australian/ New Zealand Standards

- AS/NZS 2621:1998:** Textiles - Guide to the Selection of Correct Care Labelling Instructions from AS/NZS 1957
BISLEY WORKWEAR GARMENTS USE THE CORRECT CARE LABELLING SUITED TO THEIR TYPE AND FABRICATION
- AS/NZS 2392:1999:** Textiles - Labelling of Clothing, Household Textiles and Furnishings
BISLEY WORKWEAR GARMENTS HAVE THE CORRECT CARE LABELLING PLACEMENT AND DETAILS
- AS/NZS 1957:1998:** Textiles - Care Labelling
BISLEY WORKWEAR GARMENTS ARE PROVIDED WITH CARE INSTRUCTIONS SUITED TO THEIR TYPE AND FABRICATION
- AS/NZS 2622:1996:** Textile Products - Fibre Content Labelling
BISLEY WORKWEAR GARMENTS ACCURATELY LIST THE FABRIC FIBRE CONTENT

- AS/NZS 4399:1999:** Sun Protective Clothing - Evaluation and Classification
THIS GARMENT HAS A SUN PROTECTION RATING OF UPF 50+ FOR ALL COLOURS
- AS/NZS 1906.4:2010:** Hi Visibility Material For Safety Garments.
RETROREFLECTIVE TAPE ON THIS GARMENT ALSO MEETS THE HIGHER RETROREFLECTIVE PERFORMANCE REQUIRED.
- AS/NZS 1020:1995:** The Control of Undesirable Static Electricity
THIS GARMENT IS 100% COTTON WITH NO METAL ZIPS OR BUTTONS, THEREFORE IT MAY BE USED AS A STATIC CONTROL GARMENT
- AS/NZS 4602.1:2011:** Hi Visibility Safety Garments. Garments For High Risk Application.
RETRO-REFLECTIVE TAPE CONFIGURATION HOOP PATTERN MEETS CLASS N STANDARD.

International Standards

- ASTM D5489-07:** Standard Guide for Care Symbols for Care Instructions on Textile Products
BISLEY WORKWEAR GARMENTS COMPLY WITH USA STANDARDS FOR CARE LABEL SYMBOLS AND CONTENT DESCRIPTIONS
- ISO 14184-1:** Textiles - Determination of Formaldehyde - Part 1: Free and Hydrolized Formaldeyhe (Water Extraction Method)
BISLEY WORKWEAR GARMENTS ARE FREE FROM FORMALDEHYDE

SHIRTS										MENS
Size	XS	S	M	L	XL	2XL	3XL	4XL	5XL	6XL
To fit neck size (cm)	36	37/38	39/40	41/42	43/44	46	48	50	52	54
To fit chest size (cm)	87	92	97	102	107	112	117	122	127	132
To fit chest size (inches)	34	36	38	40	42	44	46	48	50	52